

Mortuary Equipment




Guangzhou Yueshen Medical Equipment Co., Ltd.

Add: 2nd Floor, Building C, Wanlima Industrial Park, No.188,Xinye Road,
Haizhu District, Guangzhou, 510000, PRC
Add: 广州市海珠区新业路188号万里马园C栋2楼

Tel: 0086-20-34174605 / 34174486
Mob: 0086-18922329278 (WhatsApp & Wechat)
Fax: 0086-20-34174483
E-mail: international@ysenmed.com
Website: www.ysenmed.com / www.gzysenmed.com





Profile

Headquartered in Guangzhou, YSENMED is a professional medical x-ray manufacturer and supplier of various medical equipment.

YSENMED covers the business of medical imaging, medical laboratory, OT equipment, gyn & obstetrics equipment, dental supplies, ENT device, hospital furniture, CSSD solutions, and other medical equipment. Based on mutual trust & good service, our mission is to provide the most cost-effective medical equipment for hospitals and clinics around the world. So far, we have established good cooperation with customers from 188 countries or areas global-ly.

YSENMED insists on the idea of "Reputation First, Customers Foremost", which is the aim of our after-sale service. We have established a good after-sale service team, providing powerful backup force to our customers. In recent years, we have been granted the "Nationwide Medical Device After-sale Service Advanced Unit".

Guangzhou Yueshen Medical Equipment Co., Ltd. is committed to be the your trustworthy supplier and exporter in the field of medical equipment.

Certificates & Honors



Business License



Medical Device Business License



Guangdong TOP Brand Certificate



Medical Device Manufacturing Registration Certificate



Import & Export Permit Certificate



ISO13485



CE Certificate



Alibaba Gold Plus Supplier Assessment Certificate

Exhibitions

MedExpo Africa 2024



Medic East Africa 2024



Cambodia Phar-Med 2024



Philippines Medical Expo 2024



MEDICA 2023



Singapore Vet Show 2023



Worldwide Customers



A Professional & Trustworthy Medical Supplier



Mortuary Equipment

Morgue Freezer



YSSTG0108B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2280*1580*2130mm (compressor at the back, without castors)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2320*1640*2230mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0106B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2060*1580*1975mm (compressor on the top)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2160*1640*2100mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0104B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2060*1580*1475mm (compressor on the top)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2160*1640*1575mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0103B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2060*800*1975mm (compressor on the top)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2160*870*2100mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0102B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2060*800*1475mm (compressor on the top)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2160*870*1575mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0101B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2060*800*900mm
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2160*850*1050mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



Mortuary Equipment

Morgue Freezer & Storage Rack



YSSTG0109B



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2280*2360*1785mm (compressor at the back)
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2320*2440*1900mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0103C



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2500*780*2200mm
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2560*850*2230mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG0102C



- ★ High quality rustproof stainless steel for the whole freezer
- ★ High quality compressor, and each compressor controls a single chamber. If there is any problem with one compressor, it will not affect the other chambers.
- ★ The front panel of the refrigerator is shaped by laser engraving.
- ★ Avoid the irregular welding joints, which may affect the product quality.
- ★ The temperature of the refrigerators is 0℃ ~ -10℃, freeze temperature is generally within-10℃, and the temperature can adjusted according to user reality requirements.
- ★ Refrigerant: R404A
- ★ Exernal size: 2150*800*1780mm
- ★ Body tray size: 1940*850
- ★ Outer packing size: 2200*860*1870mm
- ★ Noise: 45dB
- ★ Power supply: 220V, 50-60HZ



YSSTG-CFJ12



- ★ The portable mortuary rack is ideal for a variety of cadaver storage applications.
- ★ It is more compact than conventional cantilever storage units allowing for greater storage capacity without increasing space.
- ★ Free standing, mobile racking which can be used in any existing coldroom or coldstore to increase body storage capacity.
- ★ Storage capacity can be expanded by simply adding cadaver storage racks to designated walk in refrigerated morgues or trailers.
- ★ The racks are collapsible, requiring a minimal storage foot print when not in use.
- ★ They can be easily set up by one person in minutes.
- ★ The cadaver storage racks can be custom built for caskets as well as cadaver storage trays or designed around the room specifications. The racks can be easily transported in trucks and trailers.



YSSTG-CFJ3



- ★ Specially for forensics lab, mortuary room, freezing cabinet, etc.
- ★ Fully made of quality stainless steel, rust and corrosion proof, and durable.
- ★ With 3 detachable body tray, which is concave design and has no sanitary dead angle
- ★ The body trays have lift handles at both sides, auto locking.
- ★ Each layer has 5 stainless roller for tray moving.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size:200*67*180cm(Other siezs are customizable upon request)



YSSTG-TP01



- ★ Material: Quality 304 stainless steel
- ★ Size:To customize upon request



Mortuary Equipment

Mortuary Lifter



YSSJT-50A/50B
Electric Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ The body tray is a concave shape with drainage, convenient for cleaning.
- ★ Double X hydraulic lifting pushrod, smooth, steady, and noiseless.
- ★ The lifting controller is easy to operate.
- ★ Height adjustable range: 420~1300mm.
- ★ The lifter can work 30~50 times when it is fully charged.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size: YSSJT-50A:220*65*42~130cm (Detachable body tray)
YSSJT-50B:220*65*42~130cm (Fixed body tray)
Body tray size: 190*61cm
- ★ Optional
- ★ Detachable body tray, with handles at both ends.
- ★ Rollers for the detachable tray.
- ★ 800mm stainless push & pull handguard at eight side.



YSSJT-58A/58B
Electric Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ The body tray is a concave shape with drainage, convenient for cleaning.
- ★ X-shaped lifting pushrod, smooth, steady, and noiseless.
- ★ The lifting controller is easy to operate.
- ★ Height adjustable range: 420~1300mm.
- ★ The lifter can work 30~50 times when it is fully charged.
- ★ 4 silent universal castors, 2 with brake.
- ★ With electricity leakage protector and waterproof socket.
- ★ Size: YSSJT-58A: 220*65*42~130cm (detachable body tray)
YSSJT-58B: 220*65*42~130cm (fixed body tray)
Body tray size: 190*61cm
- ★ Optional
- ★ Detachable body tray, with handles at both ends.
- ★ Rollers for the detachable tray.
- ★ 800mm stainless push & pull handguard at eight side.



YSSJT-1A Electric Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ The body tray is a concave shape with drainage, convenient for cleaning.
- ★ X-shaped lifting pushrod, smooth, steady, and noiseless.
- ★ The lifting controller is easy to operate.
- ★ Height adjustable range: 680~1300mm.
- ★ The lifter can work 30~50 times when it is fully charged.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size YSSJT-1A: 230*65*68~130cm(Detachable body tray)
- ★ Optionals
- ★ Detachable body tray, with handles at both ends
- ★ Rollers for the detachable tray.



YSSJT-56A/56B
Manual Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ The body tray is a concave shape with drainage, convenient for cleaning.
- ★ Double X hydraulic lifting pushrod, smooth, steady, and noiseless.
- ★ The foot pedal is easy to operate.
- ★ Height adjustable range: 420~1300mm.
- ★ The lifter can work 30~50 times when it is fully charged.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size: YSSJT-50A:220*65*42~130cm (Detachable body tray)
YSSJT-50B:220*65*42~130cm (Fixed body tray)
Body tray size: 190*61cm
- ★ Optional
- ★ Detachable body tray, with handles at both ends.
- ★ Rollers for the detachable tray.
- ★ 800mm stainless push & pull handguard at eight side.



YSSJT-52A/52B
Manual Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ The body tray is a concave shape with drainage, convenient for cleaning.
- ★ X-shaped lifting pushrod, smooth, steady, and noiseless.
- ★ The foot pedal is easy to operate.
- ★ Height adjustable range: 420~1300mm.
- ★ When it stops going up or down, replenish hydraulic oil.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size: YSSJT-52A: 220*65*42~130cm(Detachable body tray)
YSSJT-52B:220*65*42~130cm (Fixed body tray)
Body tray size: 190*61cm
- ★ Optional
- ★ Detachable body tray, with handles at both ends.
- ★ Rollers for the detachable tray.
- ★ 800mm stainless push & pull handguard at eight side.



YSSJT-1E Manual Hydraulic



- ★ The lifter is composed of base, lifting support and a body tray.
- ★ It is specially for autopsy table or body freezer.
- ★ Double X hydraulic lifting pushrod, smooth, steady, and noiseless.
- ★ The foot pedal is easy to operate.
- ★ Height adjustable range: 60~170cm.
- ★ 4 silent universal castors, 2 with brake.
- ★ Size: 190*62*60~170cm (Detachable body tray)



Mortuary Equipment

Mortuary Transfer Trolley



YSTSC-2D



- ★ This carrier allows for a concealed transport of a deceased patient from the hospital room to the morgue.
- ★ Material: quality #304 stainless steel
- ★ Size: 220*68*80cm
- ★ Loading capacity: 220kg
- ★ With silent castors, and it is easy to move with brake.
- ★ With stainless steel cover
- ★ Other sizes are customiable upon request.



YSTSC-2C



- ★ This carrier allows for a concealed transport of a deceased patient from the hospital room to the morgue.
- ★ Material: quality #304 stainless steel
- ★ Size: 220*68*75cm
- ★ Loading capacity: 200kg
- ★ With silent castors, and it is easy to move with brake.
- ★ With stainless steel cover
- ★ Other sizes are customiable upon request.



YSTSC-2F



- ★ Material: quality #304 stainless steel
- ★ Size: 194*61*80cm
- ★ Loading capacity: 150kg
- ★ With silent castors, and it is easy to move with brake.
- ★ Other sizes are customiable upon request.



YSTSC-A15 Mortuary Cot




- ★ The stretcher is designed for the funeral and body removal industries, can be operated and used by one person when retrieving, loading, and transporting, four different heights can easily be adjusted with the handles located at both ends.
- ★ The multi-level mortuary stretcher is a durable gurney, light weight and built with high strength aluminum alloy materials with a weight capacity up to 500 lbs, equipped standard with a black pad, two restraint patient straps and security wheel locks, to meet professional industry repuire.
- ★ Material: durable aluminum alloy
- ★ Dimension: 195*56*(36/63/82/98)cm
- ★ Loading weight: Max.220kgs



YSTSC-CT01 Church Trolley



- ★ This Church trolley, constructed of anodized aluminum tubing is sturdy for moving and displaying any size casket.
- ★ The Church truck is convenient and easy to maneuver, the accordion X-design allows for four positions folded for easy transport to fully extended for supporting a casket.
- ★ There are four swivel wheels for greater maneuverability and two with locks,includes four side handles for lifting over curbs.
- ★ Loading weight: 450kg
- ★ Material: durable aluminum alloy
- ★ Handles: 4 Handles, or Non
- ★ Wheels: 6" wheels with brakes



YSCLD400
Casket Lowering Device



- ★ The device is intended for use of lowering the casket into graves.
- ★ Telescopes from 62" X 25" to 94" X 38"
- ★ Gears are large, tested to bear loads in excess of normal demand
- ★ Unique Braking System provides a constant, steady lowering speed
- ★ Castings are non-corrosive aluminum w/ easy access to internal working parts
- ★ Ball Bearing throughout for noiseless, smooth, and fully automatic operation
- ★ Check Bars are located at either end to hold casket motionless, even on hilly terrain
- ★ Placers help make the lowering process much easier with less effort
- ★ Straps are 21ft long



Mortuary Equipment

Autopsy Table



YSJPT10A/10B



- ★ Made of high quality stainless steel.
- ★ The surface is finished with circular arc, without scaling, convenient for cleaning
- ★ With 3 sieved table-top plates, detachable and autoclavable.
- ★ The sink is equipped with a hair isolator to prevent from entering the drainage pipe
- ★ The Table has a manual sensor faucet, hot and cold water temperature adjustable.
- ★ With movable spray water gun, pressure adjustable, easy to flush the dirt.
- ★ With water spray device on both sides, which can clean the body automatically.
- ★ The height adjustable range is 20cm.
- ★ With a grinder underneath for disposing the waste, which will be drained away.
- ★ A movable tray over the table for organs can be optional.
- ★ With negative pressure suction system for removing the harmful gas or odour during dissecting.
- ★ Size: YSJPT10A: 250*80*75~95cm(Height adjustable)
YSJPT10B:250*80*85cm
- ★ Optionals:1.Movable organ tray; 2.Stainless headrest.



YSJPT19A



- ★ Made of high quality stainless steel.
- ★ The surface is finished with circular arc, without scaling, convenient for cleaning
- ★ Sieved table-top plate with graduated ruler.
- ★ The sink is equipped with a hair isolator to prevent from entering the drainage pipe
- ★ The Table has a manual sensor faucet, hot and cold water temperature adjustable.
- ★ With movable spray water gun, pressure adjustable, easy to flush the dirt.
- ★ The table-top can be lifted to 15cm at maximum, for easier observation
- ★ 8 flushing nozzles on both sides, for washing away the dirt during dissecting.
- ★ With a grinder underneath for disposing the waste, which will be drained away.
- ★ A movable tray over the table for organs can be optional.
- ★ With negative pressure suction system for removing the harmful gas or odour during dissecting.
- ★ The table can be rotatable at a 45° angle, both left and right
- ★ Size:260*80*85cm,table top can go up 15cm at maximum.
- ★ Optionals:1.Movable organ tray; 2.Stainless headrest.



YSJPT20A/20B



- ★ Made of high quality stainless steel.
- ★ The surface is finished with circular arc, without scaling, convenient for cleaning
- ★ With 3 sieved table-top plates, detachable and autoclavable.
- ★ The sink is equipped with a hair isolator to prevent from entering the drainage pipe
- ★ The Table has a manual sensor faucet, hot and cold water temperature adjustable.
- ★ With movable spray water gun, pressure adjustable, easy to flush the dirt.
- ★ With water spray device on both sides, which can clean the body automatically.
- ★ The height adjustable range is 20cm.
- ★ With a grinder underneath for disposing the waste, which will be drained away.
- ★ A movable tray over the table for organs can be optional.
- ★ With negative pressure suction system for removing the harmful gas or odour during dissecting.
- ★ Size: YSJPT20A: 260*80*75~95cm
YSJPT20B: 260*80*85cm
- ★ Optionals: 1. Movable organ tray; 2. Stainless headrest.



YSJPT30A/30B



- ★ Made of high quality stainless steel.
- ★ The surface is finished with circular arc, without scaling, convenient for cleaning
- ★ Sieved table-top plate with graduated ruler.
- ★ The sink is equipped with a hair isolator to prevent from entering the drainage pipe.
- ★ The Table has a manual sensor faucet, hot and cold water temperature adjustable.
- ★ With movable spray water gun, pressure adjustable, easy to flush the dirt.
- ★ The table-top can be side-turning, and it can be lifted to 15cm at maximum.
- ★ 8 flushing nozzles on both sides, for washing away the dirt during dissecting.
- ★ With a grinder underneath for disposing the waste, which will be drained away.
- ★ A movable tray over the table for organs can be optional.
- ★ With negative pressure suction system for removing the harmful gas or odour during dissecting.
- ★ Size: YSJPT30A: 260*85*85cm, table top can go up 15cm at maximum
YSJPT30B: 260*85*85cm, fixed height
- ★ Optionals:1. Movable organ tray; 2. Stainless headrest.



YSJPT40A



- ★ Equipped with weighing function (Max.500kgs), for body or organ weighing.
- ★ The surface is finished with circular arc, without scaling, convenient for cleaning
- ★ Sieved table-top plate with graduated ruler.
- ★ The sink is equipped with a hair isolator to prevent from entering the drainage pipe
- ★ The Table has a manual sensor faucet, hot and cold water temperature adjustable
- ★ With movable spray water gun, pressure adjustable, easy to flush the dirt.
- ★ The table-top can be side-turning, and it can be lifted to 15cm at maximum.
- ★ 8 flushing nozzles on both sides, for washing away the dirt during dissecting.
- ★ With a grinder underneath for disposing the waste, which will be drained away.
- ★ A movable tray over the table for organs can be optional.
- ★ With negative pressure suction system for removing the harmful gas or odour during dissecting.
- ★ Size: 260*85*85cm, table top can go up 15cm at maximum
- ★ Optionals:1. Movable organ tray; 2. Stainless headrest.



YSJPT50A



- Stretcher Lifter**
- ★ Electric hydraulic lift, step-free height adjustment
 - ★ Double X-shaped lifter, with silent castors
 - ★ Equipped with rolling body tray
 - ★ With fixing fastener at one side
 - ★ Size: 210*70*40~145cm
 - ★ Loading capacity: 400kgs
- Autopsy Table**
- ★ With ventilation system at sides and metal roller on top
 - ★ Inner and outer corners are concave forming, with spill-proof & splash-proof design.
 - ★ With heavy-duty waste disposable device and gooseneck faucet (cold & hot water).
 - ★ Size: 220*88*90cm
 - ★ Loading capacity: 220kgs



Mortuary Equipment

Autopsy Table



YSDHA-I88
Virtual Anatomy System



- ★ Screen: Size: 88-inch(Two 47 inch monitor splices); Resolution: 3840 * 1080; Brightness: 500cd / m² ; Contrast: 1100:1; Touch mode: infrared touch.
- ★ Computer: Processor I7; Graphics card 6G; Memory 16g; Hard disk 500G
- ★ The system can meet the teaching of systematic anatomy, regional anatomy and sectional anatomy.
- ★ The system has passed the identification of the Chinese Anatomical Society, and has the software copyright, CE and FCC certification and test report.
- ★ The 3D human body must be reconstructed with the real data of continuous tomography of human body without organic disease and no missing. The data shall be the tomographic data without missing segmental data. The structures such as teeth, male testis, appendix and fat layer must be intact.
- ★ Digital human cross-sectional distance: head and neck are ≤0.5mm, of which the base of the skull is ≤0.1mm, other parts are ≤1.0mm, and the total tomographic data is >2100. Real human body tomographic images with cross-sectional, coronal, and sagittal planes, which can be zoomed in and out at will, with a resolution of ≤0.18mm×0.18mm/pixel. The system contains more than 3000 sectional images, including more than 1750 male sectional images, more than 300 male coronal images, more than 500 male sagittal images and more than 490 female sectional images.



YSJPZ240



- ★ Table surface is equipped with movable filter plates, and two drawers underneath for instrument storage
- ★ With air outlet, it is easy to purify the air (Should be connected to the exhaust fan).
- ★ A hair isolator is installed in the water tank to prevent the hair from entering the drainage pipe
- ★ Equipped with a hair isolator to prevent from entering the drainage pipe.
- ★ The grinder can crush the dissected tissue through the drainage.(Optional).
- ★ The surface of the table is connected with circular arc without scaling, which is convenient for cleaning.
- ★ Equipped with cold & hot water mixer, manual faucet and soft water pipe. (Should be connected to heater.)
- ★ With 9 multifunctional mobile spray washing guns, which can wash the whole dirt table.
- ★ With 5 flushing nozzles, for cleaning dirt during autopsy.
- ★ The upper part is equipped with a LED lamp, hanging hook and UV lamp
- ★ Electric leakage protection, waterproof socket, power supply: 220V/110V
- ★ Size:240*60*110cm(Double positions)
- ★ Optional: Mobile necropsy table.



YSJPZ160



- ★ Table surface is equipped with movable filter plates, and two drawers underneath for instrument storage
- ★ With air outlet, it is easy to purify the air (Should be connected to the exhaust fan).
- ★ A hair isolator is installed in the water tank to prevent the hair from entering the drainage pipe
- ★ Equipped with a hair isolator to prevent from entering the drainage pipe.
- ★ The grinder can crush the dissected tissue through the drainage.(Optional).
- ★ The surface of the table is connected with circular arc without scaling, which is convenient for cleaning.
- ★ Equipped with cold & hot water mixer, manual faucet and soft water pipe. (Should be connected to heater.)
- ★ With 9 multifunctional mobile spray washing guns, which can wash the whole dirt table.
- ★ With 5 flushing nozzles, for cleaning dirt during autopsy.
- ★ The upper part is equipped with a LED lamp, hanging hook and UV lamp
- ★ Electric leakage protection, waterproof socket, power supply: 220V/110V
- ★ Size:160*60*110cm(Single position).
- ★ Optional: Mobile necropsy table.



YSJPT-YY1



- ★ Size: 205*80*70~100cm
- ★ Trendelenburg / Re-Trend: 0-10°
- ★ Central lock silent castor with diameter of 20cm
- ★ Two hydraulic pumps
- ★ Stainless steel top top



YSJPT-4A/B



- ★ The table-top is concave design to avoid water spilling, arc mould pressing, acid and alkali proof
- ★ With 2 slope drainage trough on tabletop, through which the waste water will flow to the sink.
- ★ There is 1.5cm height difference between the left and the right side of the tabletop, for better drainage.
- ★ The size of the sink is 45*32*18cm, with no sanitary dead angle, easy to clean.
- ★ With hair filter to avoid water pipe blockage.
- ★ With flexible water spray gun, pressure adjustable.
- ★ The four table legs are detachable, convenient for transport and installation.
- ★ YSJPT-4A: 240*70*85cm, with castors
- ★ YSJPT-4B:240*70*85cm, fixed



YSTSC-2A/B



- ★ It works individually or with necropsy wall table & body freezing cabinet.
- ★ Table surface with no sanitary dead angle, easy for cleaning, acid and alkali proof.
- ★ Table is tiltable, with hand crank at one end.
- ★ Table lifting is operated through hand cranks.
- ★ Height adjustment range is 150mm, and single-sided tilting range is 800-950mm.
- ★ Height adjustment range can also be customized upon request.
- ★ Size: YSTSC-2A: 200*70*80~95cm (Double cranks)
YSTSC-2B: 200*70*80~95cm (Single crank)



Mortuary Equipment

Tissue Sampling Station



Mortuary Equipment

Auxiliary Equipment



YSTE-QCT-1A/B



- ★ Good-looking design with quality stainless steel structure, corrosion & high temperature resisting, and durable
- ★ With downward suction system, which can efficiently suck away the harmful gas or odour.
- ★ With stretchable faucet pipe, convenient for cleaning the whole countertop.
- ★ With cold & hot water faucet. (Should connect to external water heater)
- ★ The sink has hair filter, in case of drainage blockage.
- ★ With LED lighting and UV lamp for sterilization.
- ★ Size: YSTE-QCT-1A: 120*60*170cm (Single position)
YSTE-QCT-1B: 180*60*170cm (Double positions)
- Optionals**
- ★ Countertop PVC plates with graduated ruler.
- ★ Low-noise centrifugal fan, for exhausting harmful gas.(exhausting rate: 800-1000m3/h).
- ★ Grinder for disposing waste tissue or bones.



YSTE-QCT-2A/B



- ★ Good-looking design with quality stainless steel structure, corrosion & high temperature resisting, and durable
- ★ With downward suction system, which can efficiently suck away the harmful gas or odour.
- ★ With stretchable faucet pipe, convenient for cleaning the whole countertop.
- ★ With cold & hot water faucet. (Should connect to external water heater)
- ★ The sink has hair filter, in case of drainage blockage.
- ★ With tissue spotlight and 10x magnifying lens, for easier sampling.
- ★ Magnetic absorbing tool rack for metal sampling tools or autopsy instrument.
- ★ With LED lighting and UV lamp for sterilization.
- ★ Size: YSTE-QCT-2A: 120*60*180cm (Single position)
YSTE-QCT-2B: 180*60*180cm (Double positions)
- Optionals**
- ★ Countertop PVC plates with graduated ruler.
- ★ Low-noise centrifugal fan, for exhausting harmful gas.(exhausting rate: 800-1000m3/h).
- ★ Grinder for disposing waste tissue or bones.



YSTE-QCT-3



- ★ Size: 1200mm(L)*670mm(W)*1700mm
- ★ With air outlet, it is easy to purify the air. If connect to the exhaust fan.
- ★ Hair isolator installed on the left to prevent hair from entering the drainage pipe.
- ★ The surface of the table is connected with circular arc without scaling, which is convenient for cleaning.
- ★ Equipped with cold and hot water regulator, sensitive water faucet (need to connect the water heater)
- ★ The upper part is provided with a LED illuminating lamp.
- ★ Electric leakage protection, waterproof socket, power supply: 220V/110V.



YSJPB-02



- ★ Dressing Forceps, 180mm 1pc
- ★ Tissue Forceps, 250mm 1pc
- ★ Periosteal raspatory 160*11 1pc
- ★ Bone rongeur 180*8, straight 1pc
- ★ Rib Shears, 220mm 1pc
- ★ MAYO Dissecting Scissors, 180 mm, straight 1pc
- ★ WEITLANER Self Retaining Retractor, sharp, 170 mm, 3x4 teeth 1pc
- ★ Bone mallet, 220/450g 1pc
- ★ Osteotome, 300*25 1pc
- ★ Bone saw, 320mm 1pc



YSJPJ22 (with Vacuum)



- ★ Swing Rate: 10000 times/minute
- ★ Rated Voltage: DC24V
- ★ Total output power: 120w
- ★ With semicircular protector over the saw blade, the splashing parts or liquid will be vacuumed away.



YSJPJ25



- ★ Swing Rate: 10000 times/minute
- ★ Rated Voltage: DC24V
- ★ Total output power: 120W



YSJP-F20



- ★ Made of quality stainless steel



YSJP-F18



- ★ Weighing capacity: Max.10kgs



YSJP-F15
Sterilization Cabinet



- ★ Uv and Ozone disinfection
- ★ Size: 48*40*123cm, 150L, 15KG



YSTE-QCT-4



- ★ Size: 1400mm(L)*600mm(W)*1500mm
- ★ With air outlet, it is easy to purify the air. If connect to the exhaust fan.
- ★ Hair isolator installed on the left to prevent hair from entering the drainage pipe.
- ★ The surface of the table is connected with circular arc without scaling, which is convenient for cleaning.
- ★ Equipped with cold and hot water regulator, sensitive water faucet (need to connect the water heater)
- ★ The upper part is equipped with a LED illuminating lamp.
- ★ Electric leakage protection, waterproof socket, power supply: 220V/110V.



YSTE-QCT-7A/B



- ★ Good-looking design with quality stainless steel structure, corrosion & high temperature resisting, and durable
- ★ With downward suction system, which can efficiently suck away the harmful gas or odour.
- ★ With stretchable faucet pipe, convenient for cleaning the whole countertop.
- ★ With cold & hot water faucet. (Should connect to external water heater)
- ★ The sink has hair filter, in case of drainage blockage.
- ★ With LED lighting and UV lamp for sterilization.
- ★ Size: YSTE-QCT-7A: 120*60*190cm (Single position)
YSTE-QCT-7B: 180*60*190cm (Double positions)
- Optionals**
- ★ Countertop PVC plates with graduated ruler.
- ★ Low-noise centrifugal fan, for exhausting harmful gas.(exhausting rate: 800-1000m3/h).
- ★ Grinder for disposing waste tissue or bones.
- ★ Front glass door with manual or electric lifting.



YSTE-QCT-9



- ★ Good-looking design with quality stainless steel structure, corrosion & high temperature resisting, and durable
- ★ With display monitor and keyboard
- ★ With downward suction system, which can efficiently suck away the harmful gas or odour.
- ★ With stretchable faucet pipe, convenient for cleaning the whole countertop.
- ★ With cold & hot water faucet. (Should connect to external water heater)
- ★ The sink has hair filter, in case of drainage blockage.
- ★ With LED lighting and UV lamp for sterilization.
- ★ Size 152*81*187-218cm (Electric lift)



YSQXT-102A



- ★ Size: 120*60*51/135cm
- ★ Made of high quality #304 stainless steel
- ★ Wall-mounted type
- ★ With two sinks and one water tank



YSZZG-S12 Steam Cabinet



- ★ Made of quality stainless steel
- ★ Size: 80*55*180cm



YSSTD01/03/06 Body Bag



- ★ YSSTD01: PVC/ Long zipper/Without handle/ L*W (210*80cm)
- ★ YSSTD03: Nylon+ PVC/ Long zipper/ With 4 handles/ L*W (250* 120cm)
- ★ YSSTD06: Long zipper /With 4 handles/ L*W (210* 80c

▶▶▶ Customer Testimonials




YSENMED YSCT-128X 128-slice CT scanner system for Hospital Privado Luanda Sul, Angola.



YSENMED YSCT-64i 64-slice CT scanner set up in a hospital in West Africa



YSCT-32 32-slice CT system has been installed in Aden International Modern Hospital in Yemen.



YSENMED veterinary MRI system YSMRI-035 VET for Southvalley Veterinary Clinic in Philippines.



YSENMED 50kW digital x-ray systems YSX500D (20 units) for a government project in Algeria.



YSENMED YSX-RF65D 65kW DRF system set up in a state hospital in Chad.



YSENMED digital flat panel C-arm systems YSX-C605 (3 units) for a public hospital in Algeria.



YSENMED 5kW mobile DR systems YSX-mDR5A (10 units) for a government tender in Philippines.



YSENMED 10kW mobile x-ray systems YSX100-PE (10 units) for a government tender in Afghanistan.



YSENMED CBCT system YSX1005E has been set up in a dental clinic in Myanmar.



YSENMED YSB-S7 color doppler ultrasound systems (13 units) for a Tanzanian project.



YSENMED YSB-i50 ultrasound scanners (42 units) for a government tender in Democratic Republic of the Congo.

▶▶▶ Contents

- 001~002 ----- Morgue Freezer & Body Storage Rack
- 003 ----- Mortuary Lifter
- 004 ----- Mortuary Transfer Trolley
- 005~006 ----- Autopsy Table
- 007 ----- Pathology Sampling Station
- 008 ----- Auxiliary Equipment